

## Declaration of performance

### BreatherQuilt

#### Product code

<b>1. Product Type</b>	Unique identification code of the product type	<b>BreatherQuilt Multi Foil insulation Blanket</b>
<b>2. Type</b>	Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4)	<b>See Product label</b>
<b>3. Intended use</b>	Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer	<b>2 in 1 Insulating Breathable Membrane</b>
<b>4. Name, registered trade name</b>	Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5)	<b>BreatherQuilt, Yorkshire Building Services (Whitwell) Ltd, Craggs Industrial Park, Morven Street, Creswell, Derbyshire, S80 4AJ</b>
<b>5. Contact Address</b>	Where applicable, name and contact address of the authorised representative whose mandate covers the task specified in Article 12(2)	<b>Not relevant</b>
<b>6. AVCP</b>	System or systems of assessment and verification of constancy or performance of the construction product as set out in Annex V	<b>System 3</b>
<b>7. Notified body</b>	In case of the declaration of performance concerning a construction product covered by a harmonised standard	<b>BDA Kiwa Expert Centre, Building Envelope (ECBE) Department of BDA Advies, BDA Group Ltd (BDA Groep B.V.), Avelingen West 24, P.O. Box 389 NL – 4200 AJ Gorinchem</b>
<b>8. Notified body (ETA)</b>	In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued.	<b>Not Relevant</b>

Version 1  
March 2016

## Declaration of performance

### BreatherQuilt

#### 9. Declared Performance

Essential Characteristics	Performance			Test Standard	Testing Body
Hydrostatic head	N/A			N/A	BDA Kiwa
Reaction to Fire	Class E			BS EN 13501-1	Warrington
Emittance / Emissivity	0.05			EN 16012:2012	BDA Kiwa
Thermal Resistance		Core	1 x Air Gap	EN 16012:2012	BDA Kiwa
	Roof	1.166	1.7		
Tensile Properties	132 (kPa)			EN 1608:2013	BDA Kiwa
Resistance to Tearing	Length: 273			EN 12310-1:1999	BDA Kiwa
	Width: 298				
Elongation	N/A			N/A	BDA Kiwa

#### 10. Declaration

The performance of the product identified in points 1 and 2 are in conformity with the declared performance in point 9. The Declaration of performance (DOP) is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



**Robert Quinton**  
Technical Manager

**22 March 2016**

Yorkshire Building Services (Whitwell) Ltd  
Craggs Industrial Park, Morven Street  
Creswell, Derbyshire, S80 4AJ